

Tips van de Helpdesk – Juni 2010

Cobidoc helpdesk: ☎ - 0206880333 ✉ - Helpdesk@cobidoc.nl

GEBRUIK MAKEN VAN STANDAARD DISPLAYFORMATEN.

Met het DISPLAY commando kunt u op STN elk antwoordenset in een gewenst formaat tonen. Geeft u geen specifiek displayformaat op, dan

worden de antwoorden in het standaard displayformaat getoond. In de meeste databases zal dit het BIB formaat zijn.

=> FILE HCAPLUS

=> S STRAWBERRY AND ICE AND (FLAVOR OR TASTE)

L1 98 STRAWBERRY AND ICE AND (FLAVOR OR TASTE)

=> D BIB AB 98

L1 ANSWER 98 OF 98 HCAPLUS COPYRIGHT 2010 ACS on STN

AN 1928:3775 HCAPLUS

DN 22:3775

OREF 22:466h-i,467a-b

TI Investigation on the use of fruits in ice cream and ices

AU Turnbow, G. D.; Cruess, W. V.

CS Calif. Agr. Expt. Sta.

SO Bull. (1927), 434, 1-38

DT Journal

LA Unavailable

AB Most com. manufacturers use too small a proportion of fruit in ice cream and ices. Legal min. of 3% fruit ice cream is altogether too low except where artificial flavor is used. A basic ice cream mix of 40-41% milk solids gave better results with fruits than did a mix containing 35% solids. Satisfactory formulas were developed for the preparation of fresh apricot, avocado, banana, fig, peach, pear and berry ice creams, the principal improvement over existing formulas being the use of a larger proportion of fruit. Most of the canning and drying varieties of peaches lacked flavor and were not nearly as satisfactory as some of the more highly flavored, soft, table varieties. Not less than 4 lb. of fresh strawberries to 45 lb. of basic mix were necessary for a good strawberry ice cream. Properly prepared and stored, cold-pack fruits were approx. equal to fresh in ice cream and ices. The lowest grade of com. canned fruits proved most satisfactory for use in ice cream and ices. Preserves and jams were unsatisfactory as the product was too sweet and soft-textured. Dried prunes and raisins as well as bottled fruit juices, concentrates, sirups and chopped candied fruits, all possess com. possibilities in the manufacture of ice cream and ices.

=> D 98

L1 ANSWER 98 OF 98 HCAPLUS COPYRIGHT 2010 ACS on STN
AN 1928:3775 HCAPLUS
DN 22:3775
OREF 22:466h-i,467a-b
TI Investigation on the use of fruits in ice cream and ices
AU Turnbow, G. D.; Cruess, W. V.
CS Calif. Agr. Expt. Sta.
SO Bull. (1927), 434, 1-38
DT Journal
LA Unavailable

=> FILE WPINDEX

=> S L1

L2 121 STRAWBERRY AND ICE AND (FLAVOR OR TASTE)

=> D BIB AB 121

L2 ANSWER 121 OF 121 WPINDEX COPYRIGHT 2010 THOMSON REUTERS on STN
AN 1972-55074T [197235] WPINDEX
TI Flavouring agent - imparting a strawberry taste to foodstuffs
DC D13; E13
PA (FIRM-C) FIRMENICH AND CIE
CYC 3
PIA CA 907405 A (197235)* EN
DE 1793631 B (197310) DE
NL 152158 B 19770215 (197710) NL
PRAI CH 1964-16889 19641231
AB CA 907405 A UPAB: 20050414
Strawberry-like flavour is imparted to foodstuffs such as ice-cream, confectionery, yoghurt, milk drinks and carbonated beverages by adding 0.5-50 ppm of at least one cpd. of the formula:- (whhre R is H or 1-2C alkyl). A preferred flavouring agent comprises 25 weight parts 2,5-dimethyl-3-hydroxy-4-oxo-4,5-dihydrofuran, 20 parts alpha-methyl-butyric acid and 30 parts methyl alpha-methylbutyrate.

=> D 121

L2 ANSWER 121 OF 121 WPINDEX COPYRIGHT 2010 THOMSON REUTERS on STN
AN 1972-55074T [197235] WPINDEX
TI Flavouring agent - imparting a strawberry taste to foodstuffs
DC D13; E13
PA (FIRM-C) FIRMENICH AND CIE
CYC 3
PI CA 907405 A (197235)* EN
DE 1793631 B (197310) DE
NL 152158 B 19770215 (197710) NL
PRAI CH 1964-16889 19641231
IC IC A23L0001-23
IPCR A23L0001-226 [I,A]; A23L0001-226 [I,C]; C07D0307-00 [I,C]; C07D0307-60 [I,A]

Gebruikt u liever een ander standaard formaat in de betreffende database dan kan dit ingesteld worden met het SET commando DFORMAT. De beperking daarbij is dat er maar één veldnaam of displayformat ingegeven mag worden. Willen we bijvoorbeeld BIB AB als standaard formaat instellen dan zullen we eerst een eigen FORMAT

aan moeten maken. Dit doen we met het SET FORMAT commando. Zelfgemaakte formaten beginnen altijd met een punt en kunnen in iedere database gebruikt worden zolang de veldnamen maar corresponderen.

```
=> FILE HCAPLUS
```

```
=> SET FORMAT
```

```
ENTER FORMAT NAME OR (?):.BIBAB  
ENTER FORMAT DEFINITION OR (?):BIB CC AB HITSTR  
REPLACE OLD DEFINITION? Y/(N):Y  
SET COMMAND COMPLETED
```

```
=> SET FORMAT
```

```
ENTER FORMAT NAME OR (?):.BRIEF  
ENTER FORMAT DEFINITION OR (?):TIEN BRIEF HITSTR  
SET COMMAND COMPLETED
```

```
=> SET DFORMAT .BIBAB
```

```
SET COMMAND COMPLETED
```

```
=> FILE WPINDEX
```

```
=> SET DFORMAT .BRIEF
```

```
SET COMMAND COMPLETED
```

```
=> D FORMAT
```

USER-DEFINED FORMAT DEFINITION	DEFAULT FORMAT FOR FILE
.BIBAB	HCAPLUS
.BRIEF	WPINDEX

We hebben nu in twee databases het default display format aangepast. Het aanmaken van een nieuw format wordt permanent opgeslagen. Het permanent maken van een SET DFORMAT in een

specifieke database kan alleen als men er ook de parameter PERM aan toevoegt. Anders verloopt de setting na een LOG Y


V OOBEEELD MET DE PATENT FAMILY MANAGER

```
=> FIL REGI
```

```
L21 STRUCTURE UPLOADED
```

```
=> D
```

```
L21 HAS NO ANSWERS  
L21 STR
```



Structure attributes must be viewed using STN Express query preparation.

=> S L21

SAMPLE SEARCH INITIATED 11:44:52
SAMPLE SCREEN SEARCH COMPLETED - 46836 TO ITERATE

4.3% PROCESSED 2000 ITERATIONS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

50 ANSWERS


Voer bij een structure search altijd een sample search uit. Hieruit kunt u aflezen hoe een FULL search gaat verlopen.

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 923788 TO 949652
PROJECTED ANSWERS: 429982 TO 447724

L22 50 SEA SSS SAM L21

=> D SCAN

L22 50 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN Benzamide, 4-(bromomethoxy)-N-(4-hydroxyphenyl)-
MF C14 H12 Br N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):end

=> S L21 FULL

FULL SEARCH INITIATED 11:45:04
FULL SCREEN SEARCH COMPLETED - 944090 TO ITERATE

100.0% PROCESSED 944090 ITERATIONS
SEARCH TIME: 00.00.05

441841 ANSWERS

De volledige search levert 441841 resultaten op. Het maximum aantal RN dat overgeheveld kan worden naar de CPlus ligt op 500000

L23 441841 SEA SSS FUL L21

=> FIL HCAPLUS

FILE 'HCAPLUS' ENTERED AT 11:45:18 ON 22 JUN 2010

~~~

This file contains CAS Registry Numbers for easy and accurate substance identification.

**'.BIBAB' IS DEFAULT FORMAT FOR 'HCAPLUS' FILE**

=> S L23 AND PAIN

66807 L23  
77238 PAIN  
2028 PAINS  
78565 PAIN  
(PAIN OR PAINS)

L24 1988 L23 AND PAIN

**Een display geeft nu het record in het ingegeven standaard formaat (.BIBAB).**

=> D

L24 ANSWER 1 OF 1988 HCAPLUS COPYRIGHT 2010 ACS on STN  
AN 2010:656488 HCAPLUS [Full-text](#)  
DN 152:584447  
TI Thiazole inhibitors of cyclooxygenase for treatment of inflammatory disorders  
IN Gant, Thomas G.; Shahbaz, Manouchehr  
PA Auspex Pharmaceuticals, Inc., USA

SO U.S. Pat. Appl. Publ., 17pp.  
CODEN: USXXCO

DT Patent  
LA English

FAN.CNT 1

|      | PATENT NO.      | KIND | DATE     | APPLICATION NO. | DATE     |
|------|-----------------|------|----------|-----------------|----------|
| PI   | US 20100129366  | A1   | 20100527 | US 2009-621905  | 20091119 |
| PRAI | US 2008-116843P | P    | 20081121 |                 |          |

CC 1-7 (Pharmacology)

Section cross-reference(s): 63


AB The present invention relates to thiazole compds. of formula I (R1-13 = H, D) or a salt thereof as cyclooxygenase inhibitors, pharmaceutical compns. thereof, and methods of use the compds. I alone or in combination with addnl. therapeutic agent for treating a cyclooxygenase-mediated inflammatory disorder selected from **pain**, osteoarthritis, arthritis, rheumatoid arthritis, juvenile rheumatoid arthritis, ankylosing spondylitis, and inflammation.

IT 62-44-2, Phenacetin 103-90-2, Acetaminophen  
5003-48-5, Benorilate

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(deuterated thiazole compds. as cyclooxygenase inhibitors with improved metabolic properties, optionally in combination with other therapeutic agents for treatment of inflammatory disorders)


RN 62-44-2 HCAPLUS

CN Acetamide, N-(4-ethoxyphenyl)- (CA INDEX NAME)




RN 103-90-2 HCAPLUS

CN Acetamide, N-(4-hydroxyphenyl)- (CA INDEX NAME)



RN 5003-48-5 HCAPLUS

CN Benzoic acid, 2-(acetyloxy)-, 4-(acetilamino)phenyl ester (CA INDEX NAME)



=> **FIL WPINDEX**

FILE 'WPINDEX' ENTERED AT 11:48:47 ON 22 JUN 2010

~~~

>>> US National Patent Classification thesaurus added - see NEWS <<<

' .BRIEF' IS DEFAULT FORMAT FOR 'WPINDEX' FILE

=> **S L21**

SAMPLE SEARCH INITIATED 11:49:00

SAMPLE SCREEN SEARCH COMPLETED - 3065 TO ITERATE

32.6% PROCESSED 1000 ITERATIONS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.16

50 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 29006 TO 32294
PROJECTED ANSWERS: 12565 TO 14773

We voeren vervolgens de search in WPINDEX uit. Ook hier voeren we voor de structuur eerst een SAMPLE SEARCH uit.


L25 50 SEA SSS SAM L21

=> D SCAN

L25 50 ANSWERS WPINDEX COPYRIGHT 2010 THOMSON REUTERS on STN

CN.S 1-Oxa-4,8-diaza-spiro[4.5]decane-4,8-dicarboxylic acid
bis-[(4-methoxy-phenyl)-amide]

MF C23 H28 N4 O5



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):end

=> s l21 full

FULL SEARCH INITIATED 11:49:28

FULL SCREEN SEARCH COMPLETED - 29366 TO ITERATE

75.6% PROCESSED 22201 ITERATIONS 9832 ANSWERS
89.8% PROCESSED 26370 ITERATIONS 11791 ANSWERS
100.0% PROCESSED 29366 ITERATIONS 13250 ANSWERS
SEARCH TIME: 00.00.39

L26 13250 SEA SSS FUL L21

=> S L26/DCR AND PAIN

10333 L26/DCR

51432 PAIN

2237 PAINS

52687 PAIN

(PAIN OR PAINS)

In WPINDEX zoeken we de resultaten uit de DCR als zoekterm in het /DCR veld

L27 1084 L26/DCR AND PAIN

=> D

L27 ANSWER 1 OF 1084 WPINDEX COPYRIGHT 2010 THOMSON REUTERS on STN

Member(0001)

TIEN COMPOSITIONS AND METHODS FOR TREATING OR PREVENTING RADIATION INJURY

AN 2010-F69569 [201036] WPINDEX

TI Pharmaceutical composition used for preventing or treating diseases e.g. radiation injury, comprises compound capable of activating nuclear factor (erythroid-derived 2)-related factor-2

DC B05; S05

PA (UYJO-C) UNIV JOHNS HOPKINS

AB WO 2010059245 A2 UPAB: 20100609

NOVELTY - Packed pharmaceutical composition for preventing or treating cell damage associated with radiation exposure, cell death associated with radiation injury, or radiation injury, comprises compound (C1) capable of activating nuclear factor (erythroid-derived 2)-related factor-2 (Nrf2).

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is included for kit for preventing or treating radiation injury, which comprises the compound (C1) and instructions for use.

ACTIVITY - Antiemetic; Cytostatic; Antianemic; Gastrointestinal-Gen.; Cerebroprotective; Respiratory-Gen.; Nephrotropic; Immunostimulant; Antimicrobial; Hemostatic; Vulnerary; Analgesic; Antidiarrheic; Antiinflammatory; Muscular-Gen.

MECHANISM OF ACTION - Nrf2 activator. Test details are described but no results given.

USE - The composition is useful for preventing or treating cell damage associated with radiation exposure, cell death associated with radiation injury, radiation injury, hematopoietic syndrome, gastrointestinal syndrome, cerebrovascular syndrome, pulmonary disease, renal failure, disorders with respect to soft tissues, symptom of hematopoietic damage (chosen from hypoplasia or aplasia of the bone marrow, pancytopenia, predisposition to infection, bleeding and poor wound healing), symptom of gastrointestinal damage (chosen from loss of intestinal crypts, breakdown of the mucosal barrier, abdominal pain, diarrhea, nausea and vomiting), cutaneous injury from radiation burns (loss of epidermis, dermis, muscle or bone), lung fibrosis, esophageal damage associated with radiotherapy, or inflammation. The radiation injury is associated with a nuclear attack or radiotherapy. The cell is chosen from pulmonary cell, endothelial cell, pulmonary endothelial cell, smooth muscle cell, epithelial cell and alveolar cell (all claimed).


AN.S DCR-5735

CN.P PARACETAMOL

CN.S N-(4-Hydroxy-phenyl)-acetamide

SDCN R00758; R16282

SDRN 0758



=> DUP IDE L24 L27

DUP IDE voegt de set uit HCAPLUS en WPINDEX samen.

FILE 'HCAPLUS' ENTERED AT 11:51:45 ON 22 JUN 2010

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2010 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'WPINDEX' ENTERED AT 11:51:45 ON 22 JUN 2010

COPYRIGHT (C) 2010 THOMSON REUTERS

PROCESSING IS APPROXIMATELY 59% COMPLETE FOR L24

PROCESSING COMPLETED FOR L24

PROCESSING COMPLETED FOR L27

L28 3072 DUP IDE L24 L27 (INCLUDES 473 SETS OF DUPLICATES)

ANSWERS '1-1988' FROM FILE HCAPLUS

ANSWERS '1989-3072' FROM FILE WPINDEX

=> S L28 AND 2002/PY.B

L29 1988 S L28

L30 91 FILE HCAPLUS

L31 1084 S L28

L32 49 FILE WPINDEX

TOTAL FOR ALL FILES

L33 140 L28 AND 2002/PY.B

=> S L33 AND EP/PC.B

L34 2 FILE HCAPLUS

L35 2 FILE WPINDEX

Deze zoektermen zijn toegevoegd om de antwoordsset te verkleinen. L36 zullen we gebruiken voor de Patent Family manager

TOTAL FOR ALL FILES
L36 4 L33 AND EP/PC.B

Patent Family Manager Wizard



Extract the first member from each patent family (limit of 5,000) and
 Include non-patent answers in result set.

Customize display of patent family results

Display format for first member of each patent family:

Examples: bib abs
ti an

Display format for additional members of each patent family:

Examples: bib abs
ti an

Insert a page break between each patent family display

Door in de Patent Family Manager FILEDEFAULT als displayveld in te vullen worden automatisch de records in het standaard formaat getoond. Omdat we met SET DFORMAT de standaard formaten hebben aangepast zullen records uit:

HCAPLUS in .BIBAB getoond worden
WPINDEX in .BRIEF getoond worden

4
answers
have been
retrieved.


=> DIS L38 PFAM=1 1 FILEDEFAULT

L38 ANSWER 1 OF 4 HCAPLUS COPYRIGHT 2010 ACS on STN FAMILY 1
AN 2002:104620 HCAPLUS [Full-text](#)
DN 136:156431
TI Inhalable medicinal aerosol composition for **pain** treatment or prevention
IN Lecourt, Laurent; Lescure, Franck; Lemaire, Marc
PA Air Liquide Sante (International), Fr.; L'Air Liquide S.A.
SO Eur. Pat. Appl., 10 pp.
CODEN: EPXXDW
DT Patent
LA French
FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI EP 1177793	A1	20020206	EP 2001-401947	20010719
EP 1177793	B1	20030820		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
FR 2812545	A1	20020208	FR 2000-10065	20000803
FR 2812545	B1	20030328		
EP 1317926	A1	20030611	EP 2003-290499	20010719
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY, TR				
AT 247477	T	20030915	AT 2001-401947	20010719
PT 1177793	E	20031128	PT 2001-401947	20010719
ES 2202265	T3	20040401	ES 2001-401947	20010719
CA 2353364	A1	20020203	CA 2001-2353364	20010724
JP 2002104963	A	20020410	JP 2001-233326	20010801
US 20050180926	A1	20050818	US 2005-107809	20050418
PRAI FR 2000-10065	A	20000803		
EP 2001-401947	A3	20010719		
US 2001-920806	A1	20010803		
CC 63-6 (Pharmaceuticals)				
AB An aerosol inhalant containing for prevention or treatment of pain is disclosed. The gas in the aerosol is chosen from helium, oxygen, nitrogen, xenon, hydrogen, carbon monoxide, carbon dioxide, argon, krypton, nitrogen monoxide, nitrogen protoxide, hydrocarbons, fluorocarbons or mixts. thereof. The active ingredients are chosen from paracetamol, acetylsalicylic acid, arylcarboxylic acid,				

corticosteroids, mineralocorticosteroids, non-steroidal inflammation inhibitors, codeine, morphine, and morphinomimetics (no data).

IT 103-90-2, Paracetamol
RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(inhalable medicinal aerosol composition for pain treatment or prevention)
RN 103-90-2 HCAPLUS
CN Acetamide, N-(4-hydroxyphenyl)- (CA INDEX NAME)



Alle overige familieleden worden in het TI TIEN formaat getoond.

OSC.G 7 THERE ARE 7 CAPLUS RECORDS THAT CITE THIS RECORD (7 CITINGS)
RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> DIS L38 PFAM=1 2-TOT TI,TIEN

L38 ANSWER 2 OF 4 WPINDEX COPYRIGHT 2010 THOMSON REUTERS on STN FAMILY1
TI Inhalable analgesic medicament, containing synergistic combination of gas and drug such as paracetamol, acetylsalicylic acid, corticosteroid, codeine or morphine

Member(0002)

TIEN Inhalable medicinal aerosol composition for pain treatment or prevention

Member(0004)

TIEN Inhalable aerosol medicament for the treatment or prevention of pain

Member(0006)

TIEN INHALABLE AEROSOL MEDICAMENT FOR TREATMENT OR PREVENTION OF PAIN

Member(0007)

TIEN Inhalable medicinal aerosol composition for the treatment or the prevention of pain

Member(0010)

TIEN Inhalable aerosol medicament fo

~~~ etc...

**Alle overige families zullen in hetzelfde formaat getoond worden. Het eerste record in de FILEDEFAULT en van de overige familieleden alleen de titels.**